

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	82	((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and web and applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:07
S2	79	((((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and web and applet\$1) and object\$1 and component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 09:14
S3	29	((((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and web and applet\$1) and (4GL (four adj generation adj2 language))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:05
S4	156	((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:15
S5	24	((convert\$3 transl\$3 adapt\$3) near5 (legacy adj3 (system\$1 application\$1))) same web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:14
S6	4	"974418".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:15
S7	141	((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:35
S8	123	((((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and java) and ((generat\$3 creat\$3) near3 (code\$1 component\$1 object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:26
S9	10	(((((convert\$3 transl\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1))) and java) and ((generat\$3 creat\$3) near3 (code\$1 component\$1 object\$1))) and (web browser)) and "717"/\$.cls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:27

S10	110	(((((convert\$3 translat\$3 adapt\$3) near3 (legacy adj3 (system\$1 application\$1)))) and java) and ((generat\$3 creat\$3) near3 (code\$1 component\$1 object\$1))) and (web browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:30
S11	299	((convert\$3 translat\$3 adapt\$3) near5 (legacy adj3 (system\$1 application\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:35
S12	223	((((convert\$3 translat\$3 adapt\$3) near5 (legacy adj3 (system\$1 application\$1))) ) and (web browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:36
S13	54	(((((convert\$3 translat\$3 adapt\$3) near5 (legacy adj3 (system\$1 application\$1))) ) and (web browser)) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:36
S14	49	(((((convert\$3 translat\$3 adapt\$3) near5 (legacy adj3 (system\$1 application\$1))) ) and (web browser)) and @ad<"19981023") and component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 11:37
S15	953	client\$1side and server\$1side and distributed	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 12:09
S16	31	(client\$1side and server\$1side and distributed) and framework.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 12:09
S17	3687	((legacy 4GL stand\$1alone) adj2 (application\$1 system\$1)) and (web browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 13:44
S18	1092	((((legacy 4GL stand\$1alone) adj2 (application\$1 system\$1)) and (web browser\$1)) and (generat\$3 near3 (code\$1 component\$1 object\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:48
S19	242	(((((legacy 4GL stand\$1alone) adj2 (application\$1 system\$1)) and (web browser\$1)) and (generat\$3 near3 (code\$1 component\$1 object\$1))) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:44

S20	1	"6061516".PN.	USPAT	OR	OFF	2003/12/05 14:02
S21	1	"5899990".PN.	USPAT	OR	OFF	2003/12/05 14:03
S22	1	"5806060".PN.	USPAT	OR	OFF	2003/12/05 14:10
S23	1	"5748974".PN.	USPAT	OR	OFF	2003/12/05 14:11
S24	1	"5627979".PN.	USPAT	OR	OFF	2003/12/05 14:11
S25	1	"5615367".PN.	USPAT	OR	OFF	2003/12/05 14:11
S26	1	"5625818".PN.	USPAT	OR	OFF	2003/12/05 14:11
S27	2	"5822585".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:44
S28	188	((((legacy 4GL stand\$1alone) adj2 (application\$1 system\$1)) and (web browser\$1)) and "717"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:48
S29	51	(((((legacy 4GL stand\$1alone) adj2 (application\$1 system\$1)) and (web browser\$1)) and "717"/\$. ccls.) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 14:48
S30	45	4GL and (user adj2 interface\$1) and java and browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:10
S31	4	(4GL and (user adj2 interface\$1) and java and browser ) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:07
S32	587	(legacy adj2 (system\$1 application\$1)) and (user adj2 interface\$1) and java and browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:30
S33	105	"719"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:10
S34	16	719/310,316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:11

S35	785	709/310,316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:11
S36	13	((legacy adj2 (system\$1 application\$1)) and (user adj2 interface\$1) and java and browser ) and 709/310,316.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:17
S37	1469	717/106-108,114-118,136-140. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:18
S38	7	717/106-108,114-118,136-140. ccls. and ((convert\$3 translat\$3 adapt\$3) near5 (legacy adj2 (system\$1 application\$1))) and java and (web browser)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:28
S39	17	717/106-108,114-118,136-140. ccls. and ((legacy adj2 (system\$1 application\$1)) and (user adj2 interface\$1) and java and browser )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:28
S40	720	(legacy adj2 (system\$1 application\$1)) and java and browser	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:30
S41	22	717/106-108,114-118,136-140. ccls. and ((legacy adj2 (system\$1 application\$1)) and java and browser )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:07
S42	26	709/310.ccls. and (legacy adj2 (application\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:37
S43	2	"6144377".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:35
S44	0	709/310.ccls. and (4GL)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:37

S45	161	709/310-332.ccls. and (legacy adj2 (application\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:37
S46	158	(709/310-332.ccls. and (legacy adj2 (application\$1 system\$1))) and (convert\$3 generat\$3 translat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:38
S47	60	((709/310-332.ccls. and (legacy adj2 (application\$1 system\$1))) and (convert\$3 generat\$3 translat\$3)) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:38
S48	57	((((709/310-332.ccls. and (legacy adj2 (application\$1 system\$1))) and (convert\$3 generat\$3 translat\$3)) and @ad<"19981023") and (java browser interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/05 16:38
S49	2	"5794256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:39
S50	2	"5974256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:40
S51	3	"6061516".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:42
S52	1	"5535422".PN.	USPAT	OR	OFF	2003/12/09 15:41
S53	1	"5615339".PN.	USPAT	OR	OFF	2003/12/09 15:41
S54	1	"5675752".PN.	USPAT	OR	OFF	2003/12/09 15:41
S55	1	"5734828".PN.	USPAT	OR	OFF	2003/12/09 15:41
S56	1	"5734828".PN.	USPAT	OR	OFF	2003/12/09 15:41
S57	1	"5768528".PN.	USPAT	OR	OFF	2003/12/09 15:42
S58	1	"5778367".PN.	USPAT	OR	OFF	2003/12/09 15:42
S59	1	"5826242".PN.	USPAT	OR	OFF	2003/12/09 15:42
S60	358	717/114,141.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:42

S61	218	717/114,141.ccls. and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:42
S62	6	(717/114,141.ccls. and @ad<"19981023") and legacy and (web browser GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:45
S63	6	(717/114,141.ccls. and @ad<"19981023") and (legacy 4GL) and (web browser GUI)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:45
S64	2	(717/114,141.ccls. and @ad<"19981023") and 4GL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:46
S65	105	4GL and (Web GUI browser\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:46
S66	5463	"717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:46
S67	86	(4GL and (Web GUI browser\$1)) and "19"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:49
S68	17	(4GL and (Web GUI browser\$1)) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:47
S69	0	(4GL and (Web GUI browser\$1)) and 709/310.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:50
S70	28	(4GL and (Web GUI browser\$1)) and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 15:50

S71	160	javabean\$1 and (legacy adj2 (application\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 17:40
S72	6	((javabean\$1 and (legacy adj2 (application\$1 system\$1))) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/09 17:40
S73	860	script\$3 near9 applet\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:33
S74	39	((script\$3 near9 applet\$1) and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:33
S75	15	((script\$3 near9 applet\$1) and "717"/\$.ccls.) and @ad<"19981023"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 14:33
S76	2	"5974256".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/10 17:56
S77	1	"6662236".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/12/11 11:29
S78	156	stand\$1alone same legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:24
S79	46	((((convert\$3 translat\$3) near3 (legacy adj3 (system\$1 application\$1))) and web and applet\$1) and object\$1 and component\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 10:59
S80	1	S78 and S79	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 09:15

S81	40	(migrat\$3 adapt\$3) with (legacy stand\$1alone) with web	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:29
S82	422	((convert\$3 translat\$3 migrat\$3 adapt\$3) with (legacy stand\$1alone)) same (web internet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:30
S83	957	((creat\$3 generat\$3) with (GUI\$1 component\$1 applet\$1)) same (legacy stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:59
S84	35	S82 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:31
S85	139	S82 and ((creat\$3 generat\$3) with (GUI\$1 component\$1 applet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:37
S86	379	((creat\$3 generat\$3) with (GUI\$1 component\$1 applet\$1)) with (legacy stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:19
S87	66	((creat\$3 generat\$3) with (GUI\$1 component\$1 applet\$1)) with (legacy adj (application\$1 program\$1 system\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:32
S88	66	((convert\$3 translat\$3) with (legacy adj3 (system\$1 application\$1))) same (web internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:06
S89	268	((convert\$3 translat\$3 generat\$3 creat\$3) with legacy with (GUI\$1 (graphical adj2 interface\$1) component\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:23
S90	57	717/106-108,114-118,136-140. ccls. and (legacy same (web internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:08



S91	11	S89 and S90	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:07
S92	67	717/106-108,114-118,136-161. ccls. and (legacy same (web internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:08
S93	113	717/101-161.ccls. and (legacy same (web internet))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:18
S94	20	S89 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 11:18
S95	62	((convert\$3 translat\$3 generat\$3 creat\$3) with legacy with (GUI\$1 (graphical adj2 interface\$1) applet\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:15
S96	2842	717/100-119.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:15
S97	26	S96 and 4GL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:16
S98	17	S96 and 4GL and (GUI\$1 (graphical adj user adj2 interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/26 12:16
S99	537	((creat\$3 generat\$3 map\$4 convert\$3 translat\$3) with (GUI\$1 component\$1 applet\$1)) with (legacy stand\$1alone)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29
S10 0	35	S96 and S99	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29

S10 1	59	S96 and 719/310,311-313,320. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29
S10 2	286	((creat\$3 generat\$3 map\$4 convert\$3 translat\$3) with (GUI\$1 component\$1 applet\$1)) with legacy	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29
S10 3	25	S96 and S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29
S10 4	11	S102 and 719/310,311-313,320. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 12:29